

MINERALOGICAL JOURNAL

Project collaborators:

Toshiya Abe, Takugo Ishii, Hiroshi Isobe, Naoya Imae, Makio Ohkawa, Hiroki Okudera, Mitsuhiro Ozeko, Motoharu Kawano, Masanori Kurosawa, Yasuhiro Kosuge, Tsutomu Sato, Keiji Shinoda, Masaya Suzuki, Norimasa Shimobayashi, Shoichi Toh, Akihiko Nakatsuka, Toshiro Nagase, Chiya Numako, Kenji Hagiya, Fumihiko Matsuyama, Motoki Minami, Hiroshi Miyajima, Ritsuro Miyawaki, Takashi Yamada, Hirohisa Yamada

Vol.1, No.1, September, 1953

Announcement		1
On the Dielectric Constants of Minerals	J. Takubo, Y. Ukai and S. Kakitani	3
On the Dielectric Constants of Rocks	J. Takutubo, Y. Ukai and Cheng Chi Kuo	25
The Differential Thermal Analysis Curves and the Dehydration Curves of Zeolites	M. Koizumi	36
On Conichalcite from Kitabira, Yamaguchi Prefecture, Japan	H. Minato and Y. Takano	48
Suanite, a New Magnesium Borate Mineral from Hol Kol, Suan, North Korea	T. Watanabe	54
<i>Short Communications</i>		
Recueil Mineralogique I. (1) Epidote de Munam. (2) Epidote de Takeshi	J. Ito	63
Particle Shape of a Certain Clay of Hydrated Halloysite, as Revealed by the Electron Microscope	T. Sudo	66

Vol. 1, No. 2, May, 1954

On the Anomalous Optical Properties of Heikolite	T. Shoda	69
Paigeite (Ferroiludwigite) from the Kamaishi Iron Mine, Iwate Prefecture, Japan	T. Watanabe and J. Ito	84
On Clinoclasite from Kitabira, Yamaguchi Prefecture, Japan	H. Minato	89
On the Thermo-electric Potential of Pyrite from the Tutiya Isizaki Mine, Hokkaido, Japan	Z. Harada and Y. Hariya	97
On the Diadochic Substitution in Silicates	F. Hori	109
<i>Short Communications</i>		
Recueil Mineralogique II. (3) Andalusite de Koshinmen	J. Ito	126

Vol. 1, No. 3, October, 1954

On the Thermal Transformation of Kaolinite and Halloysite	M. Nakahira	129
Biotite Crystals from the Mymōgō-hō, Miyagi Prefecture, Japan	H. Minato, Y. Takano and T. Ichimura	140
Uranium Contents of Zircons in Granite	I. Hayase	147
The Crystal Structure of Orpiment (As ₂ S ₃) Refined	N. Morimoto	160
The Number of Counts of Beta-rays Detected by an End-window Geiger-Mueller Counter	N. Katayama	170
<i>Short Communications</i>		
Parallel intergrowth of Pyroxene and Amphibole in Plutonic Rocks	T. Sueno	185

Vol. 1, No. 4, June, 1955

Minerals of Bismuthinite-Stibnite Series with Special Reference to Horobetsuite from the Horobetsu Mine, Hokkaido, Japan	K. Hayase	189
X-ray Measurements of the Lattice Destruction and its Recovery on some Radioactive Minerals	T. Ueda and M. Korekawa	198
The Development of Pleochroic Haloes and the Alpha Radioactivity of the Nucleus Minerals	I. Hayase	213
Iron-rich Chlorite from Shōgase, Kochi Prefecture, Japan	H. Shirozu	224
On the Structural Variations of some Japanese Kaolinites	S. Iwai	233
On Inesite from Rendaiji	S. Takasu	242
<i>Short Communications</i>		
Recueil Mineralogique (III). (4) Riebeckite from Sepori in the Fukushima-san District, Korea. (5) Aegirine from Hoansan, in the Fukushima-san District, Korea	J. Ito	250

Vol. 1, No. 5, December, 1955

High-temperature Optics of Natural Sodic Plagioclases	H. Kano	255
Clay Minerals of Decomposed Andesitic Agglomeratic Lava at Yoake	S. Aomine and T. Higashi	278
On the Electrical Conduction of Pyrite	A. Sasaki	290
The Number of Counts of Beta-Rays Detected by an End-Window Geiger-Mueller Counter (Part II)	N. Katayama	303
Dielectric Behaviour of Apophyllite and Analcite	R. Kiriyama, H. Ibamoto, M. Koizumi and R. Kitagaki	313
<i>Short communications</i>		
Boulangerite in Sulphide Ores from the Obira Mine, Kyushu, Japan	M. Miyahisa	323
A New Method for Estimating the Termination Effect in Fourier Analysis	K. Doi	329
Vol. 1, No. 6, June, 1956		
Vivianite from Himeshima, Ooita Prefecture, Japan	H. Minato, K. Kinoshita and Y. Okamoto	337
Magnesium-rich Chlorite from the Wanibuchi Mine, Shimane Prefecture	T. Sakamoto and T. Sudo	348
Effects of Constituent Cations on the Refractive Indices of Orthopyroxenes	F. Horii	359
Optical Properties and Unit Cell Dimension of Cordierite and Indialite	T. Iiyama	372
<i>Short Communications</i>		
Chlorite from the Hitachi Mine, Ibaragi Prefecture	H. Sato and T. Sudo	395
<i>Index to Volume 1</i>		398
<i>Title-Page and Contents</i>		
Vol. 2, No. 1, December, 1956		
The Crystal Structure of Borax	N. Morimoto	1
The Crystal Structure of Vonsenite	Y. Takeuchi	19
Chemical Studies of Lithium Micas from the Pegmatite of Minagi, Okayama Prefecture	Y. Ukai, S. Nishimura and Y. Hashimoto	27
Dependence of the Optical Absorption on the Crystallographic Orientation in Heikolite	T. Shoda	39
<i>Short communications</i>		
Frequency Distribution of the Composition of Plagioclases in Some Igneous Rocks	T. Sueno	48
<i>Abstract of the Kobutsugaku Zasshi, Journal of the Mineralogical Society of Japan, Vol. 3, No. 1</i>		59
Vol. 2, No. 2, June, 1957		
Synthesis, Crystal Lattices and Some Electrical Properties of Indium Tellurides and Selenides	S. Sugaike	63
The Interpretation of X-Ray Powder Diffraction Patterns of the Szaibelyite-Sussexite Series ⁸	Y. Takeuchi	7
The Absolute Structure of Ullmanite, NiSbS	Y. Takeuchi	90
Nacrite-bearing Kaolin Clay from the Kasuga Mine, Kagoshima Prefecture, Japan	M. Tokunaga	103
On Probable Elliptic Vibration of Light in Heikolite	T. Shoda	114
<i>Short Communications</i>		
Natural Occurrences of Zeunerite	K. Henmi	134
<i>Abstract of the Kobutsugaku Zasshi, Journal of the Mineralogical Society of Japan, Vol. 3, No. 2</i>		139
Vol. 2, No. 3, December, 1957		
A Spiral Weissenberg Apparatus for X-Ray Analysis	Y. Takano	143
Sericite from Ozawa-Mura, Gumma Prefecture	H. Kodama	151
X-Ray Surface Reflexion Fields on Precession Photographs	Y. Takeuchi	162
Long Spacing Clay Mineral from the Uku Mine, Yamaguchi Prefecture, Japan	T. Mitsuda	169
A New Occurrence of Pyrosomalite in the Kyurazawa Mine, Tochigi Prefecture, Japan	T. Watanabe and A. Kato	180
<i>Short Communications</i>		
Diaspore Found in Association with Zinblend and Pyrite Ores of the Hanaoka Mine, Akita Prefecture	T. Sudo and H. Hayashi	187
Iron-rich Saponite from Maze, Niigata Prefecture, Japan	N. Miyamoto	193
Zeolit-Bearing Bentonite	H. Hayashi and T. Sudo	196
<i>Abstract of the Kobutsugaku Zasshi, Journal of the Mineralogical Society of Japan. Vol. 3, No. 3</i>		200
	Vol. 3, No. 4	204
Vol. 2, No. 4, June, 1958		
X-Ray Power Patterns and Cell Dimensions of Some Chlorites in Japan,	H. Shirozu	209

with a Note on Their Interference Colors		
A Study on Monazite from the Ebisu Mine, Gifu Prefecture	T. Kato	224
Mineralogical Study on Some Pyrophyllites in Japan	H. Kodama	236
Infrared Absorption and Structures of Borate Polyatomic Ions	Y. Takeuchi	245
Elliptic Vibration of Light in Some Alkali Amphiboles	T. Shoda	269
<i>Abstract of the Kobutsugaku Zasshi</i> , Journal of the Mineralogical Society of Japan, Vol. 3, No. 5		279
Vol. 2, No. 5, December, 1958		
The Measurement of the Integrated Intensity by Means of a Single Crystal X-Ray Diffractometer	Y. Iitaka	283
Aluminian Serpentine and Associated Chlorite from Usagi-yama, Fukuoka Prefecture, Japan	H. Shirozu	298
A Detailed Investigation of the Structure of Hexagonal $BaAl_2Si_2O_8$ with Reference to Its α - β Inversion	Y. Takeuchi	311
<i>Short Communications</i>		
Lithian Biotite from the Takatori Mine, Ibaragi Prefecture	T. Kato	333
<i>Abstract of the Kobutsugaku Zasshi</i> , Journal of the Mineralogical Society of Japan, Vol. 3, No. 6		336
Vol. 2, No. 6, August, 1959		
Mineralogical Study on the Stone in Glass	T. Fukui	355
Variation of Unit Cell Parameters in Wolframite Series	A. Sasaki	375
Ikunolite, A New Bismuth Mineral from the Ikuno Mine, Japan	A. Kato	397
The Minerals of the Noda-Tamagawa Mine, Iwate Prefecture, Japan. I. Notes on Geology and Parageneses of Minerals	T. Watanabe	408
<i>Short Communications</i>		
Melilite Crystal in the Cavity of Blast-Furnace Slag	H. Minato	422
<i>Abstract of the Kobutsugaku Zasshi</i> , Journal of the Mineralogical Society of Japan, Vol. 4, Nos. 1-2		427
<i>Index to Volume 2</i>		431
<i>Title-Page and Contents</i>		
Vol. 3, No. 1, February, 1960		
The X-ray Powder Patterns and the Lattice Constants of Natural Cristobalites	T. Tokuda	1
Metacinnabar from Sarawak and Japan, with Reference to its Stability Relations to Cinnabar	S. Yajima	9
Dielectric Phenomena of Smoky Quartz, Natural and X- and γ -ray Irradiated	R. Kiriyama and S. Kawai	19
The Minerals of the Noda-Tamagawa Mine, Iwate Prefecture, Japan. II. Pyrochroite Ore (Kimiman-ko) and Its Origin	T. Watanabe, A. Kato and J. Ito	30
<i>Short Communications</i>		
Pyromorphite from the Yawa Tin Lode Mine, Burma	T. Kato	42
<i>Abstract of the Kobutsugaku Zasshi</i> , Journal of the Mineralogical Society of Japan, Vol. 4, No. 3		45
List of Honorary Members and Fellows of the Mineralogical Society of Japan		49
Vol. 3, No. 2, August, 1960		
Mechanism of Crystal Growth, Etching and Twin Formation of Hematite	I. Sunagawa	59
Uranothorite from Naegi, Gifu Prefecture	T. Kato	90
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (30001 ~ 30037)</i>		96
Vol. 3, No. 3, February, 1961		
A Study on the So-Called Garnierite from New Caledonia	T. Kato	107
Datolite from the Obira Mine, Oita Prefecture, Japan	M. Miyahisa, N. Tanaka and K. Muta	122
Manganpyrosomalite from the Kyurazawa Mine, Tochigi Prefecture	T. Watanabe, A. Kato and J. Ito	130
Kobeite from the Ushio Mine, Kyoto Prefecture, Japan and Re-examination of Kobeite	K. Masutomi, K. Nagashima and A. Kato	139
Cosalite from the Hagidaira Mine, Gun'ma Prefecture, Japan	S. Hayashi	148
The Minerals of the Noda-Tamagawa Mine, Iwate Prefecture, Japan. III. Yoshimuraite, a New Barium-Titanium-Manganese Silicate Mineral	T. Watanabe, Y. Takeuchi and J. Ito	156
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (3038 ~ 3075)</i>		168
Vol. 3, No. 4, August, 1961		
On Osarizawaite, a New Mineral of the Alunite Group, from the Osarizawa Mine, Japan	Y. Taguchi	181
Paragenesis of the Minerals of the Ningyo-toge Mine	T. Muto	195
The Crystal Structure of Antlerite	T. Araki	223
Abnormal Optical Properties of Babingtonite from	T. Shoda	236

the Yakuki Mine, Japan		
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (3076 ~ 3122)		246
Vol. 3, Nos. 5 and 6, August, 1962		
On Order-Disorder Transformation and Stability Range of Microcline Under High Water Vapour Pressure	T. Tomisaka	261
The Crystal Structure of Linarite, Reexamined	T. Araki	282
Tridymite Crystals in Opaline Silica from Kusatsu, Gun'ma Prefecture	M. Sato	296
The Precipitation Environment of Ningyoite	T. Muto	306
Djurleite, A New Copper Sulphide Mineral	N. Morimoto	338
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (3123 ~ 3145)		345
<i>Index to Volume 3</i>		353
<i>Title-Page and Contents</i>		
Vol. 4, No. 1, February, 1963		
Structural Changes of Some Chlorites by Grinding	H. Shirozu	1
Radioactive Equilibrium in the Ningyotoge Uranium Ores, Especially between Ionium and Uranium	T. Murano	12
X-ray Studies on Some Alkaline Amphiboles	A. Kawahara	30
On the Magnetic Properties of Natural Pyrrhotite	K. Hayase, R. Ōtsuka and T. Mariko	41
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4001 ~ 4036)		57
<i>List of Honorary Members and Fellows of the Mineralogical Society of Japan</i>		70
Vol. 4, No. 2, August, 1963		
Titaniferous Oxyhornblende Built up from Two Different Lattices	T. Ueda and K. Tomita	85
Thermal Behavior or Interlayer Water in Stevensite	H. Otsu and T. Yasuda	91
X-Ray Study of Tridymite (1) On Tridymite M and Tridymite S	M. Sato	115
X-Ray Study of Low Tridymite (2) Structure of Low Tridymite, Type M	M. Sato	131
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4038 ~ 4063)		147
Vol. 4, No. 3, August, 1964		
Diffraction by Substructure and Its Use in Structure Determination	R. Sadanaga and H. Takeda	159
Interference Colour of Crystals with Birefringence Dispersion	T. Shoda	172
Mechanism of Crystal Growth of Yttrium-Iron Garnet and Magnetoplumbite Synthesized by Flux Method	H. Komatsu and I. Sunagawa	203
Natural Etching of Pyrite	H. Komatsu	212
X-Ray Study of Tridymite (3) Unit Cell Dimensions and Phase Transition of Tridymite, Type S	M. Sato	215
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4064 ~ 4123)		226
Vol.4, No.4, February, 1965		
Thermochemical Stability of Ningyoite	T. Muto	245
On the Statistical Distribution of Copper Ions in the Structure of β -Chalcocite	R. Sadanaga, M. Ohmasa and N. Morimoto	275
A Standardized Japanese Nomenclature for Crystal Forms	J. D. H. Donnay and H. Takeda	291
Synthesis of Vanadium Silicates: Haradaite, Goldmanite and Roscoelite	J. Ito	299
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4124~4170)		317
Vol.4, No.5, August, 1965		
Silicon Carbide Crystals Grown in Nitrogen Atmosphere	T. Kawamura	333
On the Sintering Mechanisms of Magnesium Oxide	N. Toda	356
Further Observations on Sintered Magnesium Oxide	N. Toda	374
The Structure of Jimboite, $Mn_3(BO_3)_2$ and Relationship with the Structure of Kotoite	R. Sadanaga, T. Nishimura and T. Watanabe	380
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4171~4206)		389
Vol.4, No.6, February, 1966		
The Structure Determination of the 96R Polytype of SiC by a Direct Method	M. Tokonami	401
Structural Studies of Brittle Micaceous Minerals (I) The Structure of Xanthophyllite Refined	Y. Takéuchi and R. Sadanaga	424
X-ray Diffraction by Oriented Powder Specimens	H. Otsu	438
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan</i> (4207~4231)		465
<i>Index to Volume 4</i>		473
Vol.5, No.1, August, 1966		

Boundary between Normal and Abnormal Interference Colour in Crystals	T. Shoda	1
Thermal Reaction of Carpholite	Y. Aoki	12
Review of Pyroxene Relations in Terrestrial Rocks in the Light of Recent Experimental Works	H. Kuno	21
Oriented Transformation, Johannsenite to Bustamite	N. Morimoto, K. Koto and T. Shinohara	44
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5001~5035)</i>		65
Vol.5, No.2, February, 1967		
Mineralogical Studies of Sericites Associated with Roseki Ores in the Western Part of Japan	T. Yamamoto	77
The Structure of Haradaite and a Note on the Si-O Bond Lengths in Silicates	Y. Takéuchi and W. Joswig	98
X-Ray Study on the α - β Transition of Ag ₂ S	R. Sadanaga and S. Sueno	124
Truscottite from the Toi Mine, Shizuoka Prefecture	H. Minato and A. Kato	144
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5036~5058)</i>		157
Vol.5, No.3, August, 1967		
Infrared Study of Mechanical Mixtures of Quartz, Orthoclase and Oligoclase from 11 to 25 Microns	K. Omori	169
Effect of Particle Size on Absorption of X-Rays Reflected from Mixed Powder (I) General Intensity Formula	M. Shimazu	180
Mineralogical Notes on Ilmenite from East Ongul Island, Antarctica	G. Shibuya and K. Kizaki	199
Reaction Processes to Form Nepheline-Carnegieite Minerals from Various Starting Materials	Y. Kubo, G. Yamaguchi and K. Kasahara	213
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5059~5101)</i>		224
Vol.5, No.4, March, 1968		
Effect of Particle Size on Absorption of X-Rays Reflected from Mixed Powder (II) Extra Absorption Coefficient	M. Shimazu and S. Hosoya	239
Synthesis of the Sodalite Group and Subsolvus Equilibria in the Sodalite-Noselite System	T. Tomisaka and H. P. Eugster	249
The Occurrence of Roquesite from the Akenobe Mine, Hyogo Prefecture, Japan	A. Kato and K. Shinohara	276
The Occurrence of Teinite from the Kawazu (Rendaiji) Mine, Shizuoka Prefecture, Japan	A. Kato and K. Sakurai	285
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5102~5158)</i>		291
Vol.5, No.5, September, 1968		
Mineralogical Notes on Mesolite and Scolecite from Japan	K. Harada, M. Hara and K. Nakao	309
Thermal Transition of Leucite	R. Sadanaga and T. Ozawa	321
Infrared Diffraction and the Far Infrared Spectra of Anhydrous Sulfates	K. Omori	334
Syntheses of Some End-Members of the Tourmaline Group	T. Tomisaka	355
Weathered Biotite from Matsusaka, Central Japan	Y. Tsuzuki, K. Nagasawa and K. Isobe	365
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5159~5198)</i>		383
Vol.5, No.6, March, 1969		
Fukuchilite, Cu ₃ FeS ₈ , a New Mineral from the Hanawa Mine, Akita Prefecture, Japan	Y. Kajiwara	399
The Occurrence of Stannoidites from the Xenothermal Ore Deposits of the Akenobe, Ikuno and Tada Mines, Hyogo Prefecture, and the Fukoku Mine, Kyoto Prefecture, Japan	A. Kato and Y. Fujiki	417
New Unit Layers for Micras	H. Takeda and R. Sadanaga	434
The Crystal Structure and Polytypism of Manganpyrosomalite	Y. Takéuchi, I. Kawada, S. Irimaziri and R. Sadanaga	450
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (5199~5236)</i>		468
Index to Volume 5		483
Vol.6, Nos. 1 and 2, December, 1969		
Apophyllite from Gobessho in Ôtsu City, Japan	M. Tatekawa	1
On the Perthitic Structure of Moonstones (I). A Moonstone Having a New Type of Perthitic Structure	M. Tatekawa and M. Kanezaki	7
Synthesis of Kilchoanite	T. Mitsuda and K. Fukuo	17
Wairakite-Analcime Solid Solutions from Low-grade Metamorphic Rocks of the Tanzawa Mountains, Central Japan	Y. Seki and Y. Oki	36
Abnormal Interference Colour of Crystals According to	T. Shoda	46

the Munsell System		
Synthesis of Species-P from Clinoptilolite at Low Temperatures and Pressures	M. Utada and H. Minato	57
The Occurrence of Strontian Chabazite from Miyanohira, Ôme, Tokyo	K. Nakao, K. Harada and A. Kato	69
The Force Fields of the Rutile Counterparts: TiO ₂ , MgF ₂ , ZnF ₂ and FeF ₂	K. Iiishi, T. Tomisaka and Y. Umegaki	77
Pyromorphite-Mimetite Minerals from the Otaru-Matsukura Barite Mine in Hokkaido, Japan	A. Nakamoto, Y. Urasima, S. Sugiura, H. Nakano, T. Yachi and K. Tadokoro	85
Fluor-Polyolithionite: A Lithium Mica with Nearly Hexagonal (Si ₂ O ₅) ²⁻ Ring	H. Takeda and C. W. Burnham	102
X-Ray Study of the Phase Transformations of Enstatite	R. Sadanaga, F. P. Okamura and H. Takeda	110
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (6001~6033)</i>		131
Vol.6, No.3, September, 1970		
Synthesis of Tobermorite from Zeolite	T. Mitsuda	143
Structure Gap in BaSO ₄ -PbSO ₄ Solid Solution Series	B. Takano, M. Yanagisawa and K. Watanuki	159
Two-dimensional Regular Aggregates of Layered Crystals	S. Sueno, H. Takeda and R. Sadanaga	172
<i>Short Communications</i>		
Bournonite from Daikoku, Chichibu Mine, Saitama, Japan	K. Harada, O. Sakamoto, K. Nakao and K. Nagashima	186
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (6034~6069)</i>		189
Vol.6, No.4, March, 1971		
Structural Investigation of Polymorphic Transition between 2M ₂ -, 1M-Lepidolite and 2M ₁ Muscovite	H. Takeda, N. Haga and R. Sadanaga	203
Studies on Long-period Polytypes of Silicon Carbide	T. Nishida	216
Thermal Transformations in SiC Crystals	T. Tagai, S. Sueno and R. Sadanaga	240
Compositional Variations of Magnetite during the Eruption and their Bearing on the Stage of Crystallization of Magma of Futatsu-dake, Haruna Volcano	O. Oshima	249
Equilibrium Relations in Mg-rich Part of the Pyroxene Quadrilateral	Y. Nakamura	264
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (6070~6105)</i>		277
Vol.6, No.5, September, 1971		
Saponite from the Wakamatsu Mine, Tottori Prefecture, Japan	J. Kitahara	289
Celadonite in the Tuff of Oya, Tochigi Prefecture, Japan	N. Kohyama, S. Shimoda and T. Sudo	299
Pentlandite, Niccolite and Gersdorffite from the Han Deresi and Günes Districts, near Divrigi, Sivas, Eastern Turkey	K. Harada, Y. Tagawa, K. Nagashima, K. Nakao and N. Tsukahara	313
Growth Mechanism of Whiskers and Needle Crystals (Prisms) of Aluminum Nitride	T. Ishii, T. Sato and M. Iwata	323
New Occurrence of Ferrierite	S. Yajima, T. Nakamura and E. Ishii	343
On the High-clino Phase of Enstatite	R. Sadanaga and F. P. Okamura	365
Classification of Twins I. Bisecting Twin Axis and Principal Twin Axis	Y. Takano and K. Sakurai	375
Synthesis of Septechlorite Solid Solution and its Equilibrium Relation with Phlogopite	T. Yamanaka and M. W. Bodine, Jr.	383
An Algebraic Analysis of Twinned Reciprocal Space for Structure Determination	F. P. Okamura	405
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (6106~6125)</i>		423
Vol.6, No.6, April, 1972		
Solid Solutions in the System ZrO ₂ -TiO ₂	A. Ono	433
Syntheses of Monoclinic and Tetragonal ZrO ₂ at High Temperatures	A. Ono	442
Thermal Transformation of Muscovite in Molten KCl	M. Akizuki, S. Sato and I. Sunagawa	448
Anhydrous Synthesis of Greigite, Fe ₃ S ₄	H. Nakazawa and K. Sakaguchi	458
Synthetic Mg-Chlorite in Relation to Natural Chlorite	H. Shirozu and H. Momoi	464
Growth Process of Baddeleyite (ZrO ₂) in PbF ₂ Flux	Y. Fujiki and Y. Suzuki	477
A New Polytype of Silicon Carbide, 45R, and Its Structure Analysis According to a Simple Assumption Newly Introduced	Z. Inoue, Y. Inomata and H. Tanaka	486
<i>Short Communication</i>		
Preparation and Surface Observation of Berndtite (SnS ₂) Single Crystals	Y. Fujiki and Y. Ishizawa	498
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (6126~6149)</i>		503
<i>Index to Volume 6</i>		513

Vol.7, No.1, October, 1972

Influence of B ₂ O ₃ component for flux growth of baddeleyite (ZrO ₂)	Y. Fujiki	1
On the perthitic structure of moonstones (II). a high temperature form of moonstone	M. Tatekawa, M. Kanezaki and S. Nakano	9
Nambulite, a new lithium- and sodium-bearing manganese silicate from the Funakozawa mine, northeastern Japan	M. Yoshii, Y. Aoki and K. Maeda	29
Synthesis and crystal chemistry of Li-hydro-pyroxenoids	J. Ito	45
Phase transformation in the system ZrO ₂ -CeO ₂	A. Ono	66
Argentian-tetrahedrites from the Taishu-Shigekuma mine, Tsushima Island, Japan	N. Shimada and F. Hirowatari	77
Mössbauer spectra of synthetic and natural calcium-rich clinopyroxenes	Y. Matsui, Y. Syono and Y. Maeda	88
Low-temperature synthesis of kilchoanite from quartz-lime mixtures by a new method	T. Mitsuda	108
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7001~7052)</i>		115
Vol.7, No.2, April, 1973		
Topotactic thermal-transformation of diaspore to corundum	S. Iwai, H. Yamamoto, H. Morikawa and M. Isobe	137
Optical rotation axes in a manganoan richterite from the Taguchi mine, Aichi Prefecture, Japan	T. Shoda and M. Bunno	159
A metastable lithium-beryllium-aluminum silicate with a β -spodumene structure	H. Takubo, S. Kume and M. Koizumi	169
Iron-wollastonite from the Sampo mine showing properties distinct from those of wollastonite	H. Matsueda	180
Dependence of the cation distribution in Manganese ferrite, MnFe ₂ O ₄ , on temperature and oxidation	T. Yamanaka and M. Nakahira	202
<i>Short Communications</i>		
Valleriite from Little Chief Mine, White Horse copper belt, Yukon, Canada	K. Harada, K. Nakao and K. Nagashima	221
Phase transformation of (Zr, Ce)O ₂ and measurements of the enthalpy changes	A. Ono	228
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7053~7070)</i>		232
Vol.7, No.3, October, 1973		
A new mineral bicchulite, the natural analogue of gehlenite hydrate, from Fuka, Okayama Prefecture, Japan and Carneal, County Antrim, Northern Ireland	C. Henmi, I. Kusachi, K. Henmi, P. A. Sabine and B. R. Young	243
Crystallography and composition of synthetic rickardite	T. Mizota, K. Koto and N. Morimoto	252
The crystal structure of Banalsite, BaNa ₂ Al ₄ Si ₄ O ₁₆ , and its relation to the feldspar structure	N. Haga	262
Carrollite from the Shirataki mine, Kochi Prefecture, Japan	S. Ito, Y. Endo, T. Sato and Y. Shimazaki	282
The structure of hopeite	A. Kawahara, Y. Takano and M. Takahashi	289
<i>Short Communications</i>		
A New Strontium-Titanium Hydrous Silicate Mineral from Ohmi, Niigata Prefecture, Central Japan	M. Komatsu, K. Chihara and T. Mizota	298
On the Crystal Structure of Sr ₃ TiSi ₄ O ₁₂ (OH)·2H ₂ O, A New Mineral	T. Mizota, M. Komatsu and K. Chihara	302
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7071~7116)</i>		306
Vol.7, No.4, April, 1974		
Immiscibility gap in the system CaSiO ₃ -CaFeSi ₂ O ₆ at low temperatures	H. Matsueda	327
Mössbauer studies of natural olivines	I. Shinno, M. Hayashi and Y. Kuroda	344
Hydrothermal crystallization of MnSiO ₃ polymorphs	H. Momoi	359
Possible structure types derived from <i>Pbca</i> -orthopyroxene	T. Matsumoto	374
Surface structures of aluminum nitride crystals	T. Ishii, T. Sato and M. Iwata	384
<i>Short Communications</i>		
A joaquinite-like mineral from Ohmi, Niigata Prefecture, Central Japan	K. Chihara, M. Komatsu and T. Mizota	395
Cell dimensions of boltwoodite	T. Kato and Y. Miura	400
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7117~7154)</i>		405
Vol.7, No.5, October, 1974		
Absorption spectrum of a new barium vanadyl silicate BaVOSi ₂ O ₆	K. Kato, Y. Sugitani and K. Nagashima	421
Vaesite from the Uchinotai deposits, Kosaka mine, Japan	T. Sato and Y. Shimazaki	431

Ruthenium, a new mineral from Horokanai, Hokkaido, Japan	Y. Urashima, T. Wakabayashi, T. Masaki and Y. Terasaki	438
Optical absorption spectra of iron (III) and chromium (III) doped in synthetic yttrium-aluminium-garnets (YAG)	Y. Sugitani, K. Tagawa and K. Kato	445
Unit cell dimensions and infra-red absorption spectra of Mg-wollastonite in the system $\text{CaSiO}_3\text{-CaMgSi}_2\text{O}_6$	I. Shinno	456
Cation distribution and local variation of site symmetry in solid solution series, $\text{Fe}_3\text{O}_4\text{-Fe}_2\text{TiO}_4$	K. Fujino	472
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7155~7210)</i>		489
Vol.7, No.6, April, 1975		
Orthoericssonite from the Hijikuzu mine, Iwate Prefecture, Japan	S. Matsubara and K. Nagashima	513
Labradorescence and ideal behavior of thicknesses of alternate lamellae in Bøggild intergrowth	Y. Miura, T. Tomisaka and T. Kato	526
Spherulitic growth of orpiment (As_2S_3) under hydrothermal condition	Y. Fujiki and Y. Hasegawa	542
Carrollite from the Sazare mine, Ehime Prefecture, Japan	T. Tatsumi, F. Nakayama, T. Urabe and H. Shimazaki	552
On the perthitic structure of moonstone (III). A moonstone having sodium phase twinned according to pericline law	M. Tatekawa	562
<i>Short Communications</i>		
Zonally grown mica from a granitic pegmatite, Myo-ohage, Makino-cho, Shiga Prefecture, Japan	M. Tatekawa	575
<i>Mineralogical Abstracts from the Scientific Papers Published in Japan (7211~7252)</i>		582
<i>Index to Volume 7</i>		601
Vol. 8, No. 1, October, 1975		
Growth of single crystals of aluminum nitride	T. Ishii, T. Sato and M. Iwata	1
Pyrrhotite from the Sanbagawa pelitic schists of the Shiraga-yama area, central Shikoku, Japan	T. Itaya	25
The structure of ranking	I. Kusachi, C. Henmi, A. Kawahara and K. Henmi	38
The relations between temperature and composition of pigeonite in some lavas and their application to geothermometry	T. Ishii	48
Relations between barium content and the physical and optical properties in the manganoan phlogopite-kinoshitalite series	M. Yoshii and K. Maeda	58
Flux growth of YNbO_4	Y. Sugitani and K. Nagashima	66
Mineralogical Abstract from the Scientific Papers Published in Japan (8001~8060)		72
Vol. 8, No. 2 April, 1976		
Masutomilite, manganese analogue of zinnwaldite, with special reference to masutomilite-lepidolite-zinnwaldite series	K. Harada, M. Honda, K. Nagashima and S. Kanisawa	95
Sugilite, a new silicate mineral from Iwagi Islet, Southwest Japan.	N. Murakami, T. Kato, Y. Miura and F. Hirowatari	110
On the solubility of alumina in orthopyroxene coexisting with olivine and spinel in the system $\text{MgO-Al}_2\text{O}_3\text{-SiO}_2$	T. Fujii and E. Takahashi	122
X-ray photoelectron spectroscopic study of vanadium-bearing aegirines	I. Nakai, H. Ogawa, Y. Sugitani, Y. Niwa and K. Nagashima	129
X-ray photoelectron spectroscopic study of copper minerals	I. Nakai, M. Izawa, Y. Sugitani, Y. Niwa and K. Nagashima	135
Mineralogical Abstract from the Scientific Papers Published in Japan (8123~8088)		139
Vol. 8, No. 3 July, 1976		
New CdI_2 polytype, 20H_7 : its structure and X-ray diffraction pattern	E. Min and K. Ohsumi	151
Structural investigations of sudoite and regularly interstratified sericite/sudoite	H. Shirozu and S. Higashi	158
Synthesis of bicchulite from gehlenite solid solutions	C. Henmi	171
Crystal structure of sugilite	T. Kato, Y. Miura and M. Murakami	184
The crystal structure of shattuckite	A. Kawahara	193
Mineralogical Abstract from the scientific Papers Published in Japan (8089~8122)		200
Vol. 8, No. 4, October, 1976		
Optical properties and phase transition in neodymium pentaphosphate ($\text{NdP}_5\text{O}_{14}$) single crystals	S. Ashida and Y. Itô	215
Phase relations in the systems $\text{Fe}_2\text{SiO}_4\text{-FeAl}_2\text{O}_4$ and $\text{Co}_2\text{SiO}_4\text{-CoAl}_2\text{O}_4$ at high pressure and high temperature	E. Ohtani and H. Sawamoto	226
Cell dimension of ajoite	T. Kato and Y. Miura	234

Refinement of the structure of rankinite	S. Saburi, I. Kusachi, C. Henmi, A. Kawahara, K. Henmi and I. Kawada	240
A consideration on the wairakite-analcime series. —Is valid a new mineral name for sodium analogue of monoclinic wairakite?—	K. Harada and T. Sudo	247
Mineralogical Abstract from the Scientific Papers Published in Japan (8123~8147)		252
Vol. 8, No. 5, January, 1977		
Fission track dating and uranium mineralization in pegmatites of Bhilwara area, Rajasthan State (India)	H. S. Virk and S. Singh	263
A systematics of pyroxenoid structures	Y. Takéuchi and K. Kato	272
The refinement of the crystal structure of cuspidine	S. Saburi, A. Kawahara, C. Henmi, I. Kusachi and K. Kihara	286
Mineralogical Abstract from the Scientific Papers Published in Japan (8148~8174)		299
Vol. 8, No. 6, April, 1977		
A refinement of the crystal structure of covellite, CuS	M. Ohmasa, M. Suzuki and Y. Takéuchi	311
The crystal structures adamite and paradamite	T. Kato and Y. Miúra	320
The crystal structures of MnSiO ₃ polymorphs (rhodonite-and phyroxmangite-type)	H. Narita, K. Kato and N. Morimoto	329
Coexistence of 2M ₁ and 3T muscovites and paragonites in low-grade metamorphic rocks of Sanbagawa metamorphic belt, Japan	H. Nakamura and K. Kihara	343
Mineralogical Abstract from the Scientific Papers Published in Japan (8175~8199)		349
Vol. 8, No. 7, July, 1977		
On the texture of barium-containing alkali feldspars from the Taguchi mine, Aichi Prefecture, Japan	S. Nakano	361
Fukalite, a new calcium carbonate silicate hydrate mineral	C. Henmi, I. Kusachi, A. Kawahara and K. Henmi	374
Twining of tridymite from the Steinbach meteorite	T. Tagai, R. Sadanaga, Y. Takéuchi and H. Takeda	382
Synthesis of mackinawite by vacuum deposition method	H. Nozaki, H. Nakazawa and K. Sakaguchi	399
Mineralogical Abstract from the Scientific Papers Published in Japan(8200~8234)		406
Vol. 8, No. 8, October, 1977		
The crystal structures of jarosite and svanbergite	T. Kato and Y. Miúra	419
Designation of cation sites in pyroxenoids	Y. Takéuchi	431
Spurenelement-Paragebese in Zinkblendern verschiedener Pb-Zn Vorkommen in Korea	C. -S. So	439
Yugawaralite from Nukabira, Hokkaido	H. Konno and M. Aoki	456
High resolution electron microscopic observation of a new kind of superstructure in altered clinopyroxene	J. Akai	463
Mineralogical Abstract from the Scientific Papers Published in Japan (8235~8263)		472
Index to Volume 8		485
Vol. 9, No. 1, January, 1978		
Structural study of brittle micas (II). Statistical mode of stacking sequence in a valuevite crystal as deduced by computer simulation	T. Ohta, Y. Takeuchi and H. Takeda	1
Diocahedral mica minerals with ammonium ions	S. Higashi	16
Jôkokuite, MnSO ₄ •5H ₂ O, a new mineral from the Jôkoku Mine, Hokkaido, Japan	M. Nambu, K. Tanida, T. Kitamura and E. Kato	28
Inclusion dating and phase differentiation in minerals	H. S. Virk and S. Singh	39
Mineralogical Abstract from the Scientific Papers Published in Japan (9001-9033)		41
Vol. 9, No. 2, April, 1978		
Thermal annealing behaviour of fission tracks in apatite crystal found at Borra Mine, Vishakhapatnam district, India	S. L. Koul and H. S. Virk	55
The growth and habit modification of futile crystals using Li ₂ WO ₄ -WO ₃ flux	Y. Fujiki, F. Izumi and Y. Ohtsuka	64
Apparatus designed for in-situ observations of growth of crystals from aqueous solutions under well-controlled temperature conditions	S. Hosoya and M. Kitamura	73
Color zoning in labradorescence	Y. Miúra	91
Synthesis of spurrite and tilleyite at low CO ₂ partial pressure	C. Henmi and K. Henmi	106
Fission track annealing behaviour of uraninite inclusions in muscovite	S. Singh and H. S. Virk	111

pegmatite of Bhilwara area, Rajasthan state, India Mineralogical Abstract from the Scientific Papers Published in Japan (9034-9059)		115
Vol. 9, No. 3, July, 1978		
High resolution electron microscopy of dioctahedral mica 129	S. Tomura, M. Kitamura and I. Sunagawa	
<i>In-situ</i> observation of recovery process from rounded to faceted morphology in NaClO ₃	S. Hosoya and M. Kitamura	137
Growth mechanisms of NaClO ₃ and KBr from aqueous solutions under relatively high supersaturation ranges	S. Hosoya, M. Kitamura and T. Miyata	147
7T wollastonite from Fuka, Okayama Prefecture	C. Henmi, I. Kusachi, A. Kawahara and K. Henmi	169
Finding of rhombohedral modification (3R-type) of molybdenite from Japan	M. Watanabe and A. Soeda	182
Mineralogical Abstract from the Scientific Papers Published in Japan(9060-9082)		188
Vol. 9, No. 4, October, 1978		
Arsenian hauchecornite from the Tsumo mine, Shimane Prefecture, Japan	A. Soeda and F. Hirowatari	199
The crystal structure of synthetic mica, KMg _{2.75} Si _{2.5} Al _{0.5} O ₁₀ F ₂	H. Toraya, S. Iwai, F. Marumo, T. Nishikawa and M. Hirao	210
The crystal structure of a germanate mica KMg ₃ Ge ₃ AlO ₁₀ F ₂	H. Toraya, S. Iwai, F. Marumo and M. Hirao	221
The first finding of monoclinic tridymite in terrestrial volcanic rocks	K. Kawai, T. Matsumoto, K. Kihara and K. Sakurai	231
Brookite formation from precipitates containing calcium ions	T. Mitsunashi and M. Watanabe	236
Mineralogical Abstract from the Scientific Papers Published in Japan(9083-9112)		241
Vol. 9, No. 5, January, 1979		
Oriented intergrowth of rhodonite and pyroxmangite and their transformation mechanism	N. Aikawa	255
A study of Li ₂ O-SiO ₂ glasses by small angle X-ray scattering	M. Okazaki, H. Uedera and S. Kakitani	270
X-ray diffraction study of glasses in the system Li ₂ O-SiO ₂	M. Okazaki and S. Kakitani	279
Structure of synthetic rhodonite, Mn _{0.685} Mg _{0.315} SiO ₃ , and compositional transformations in pyroxenoids	T. Murakami and Y. Takéuchi	286
Mineralogical Abstract from the Scientific Papers Published in Japan (9113-9139)		305
Vol. 9, No. 6. April, 1979		
An elastic block model for the relationship between the composition and the cell volume in the humites	K. Yamamoto	319
Growth of ZrS ₂ and NbS ₂ single crystals by chemical transport reactions	Y. Fujiki, Y. Ishizawa and Z. Inoue	339
Polytypism of xonotlite: (I) Structure of an AT polytype	Y. Kudoh and Y. Takéuchi	349
Mineralogical Abstract from the Scientific Papers Published in Japan (9140-9157)		374
Vol. 9, No. 7. July, 1979		
Iwakiite, Mn ²⁺ (Fe ³⁺ , Mn ³⁺) ₂ O ₄ , a new tetragonal spinelloid mineral from the Gozaisho mine, Fukushima Prefecture, Japan	S. Matsubara, A. Kato and K. Nagashima	383
The crystal structures of 1M-kinoshitalite, a new barium brittle mica and 1M-manganese trioctahedral micas	T. Kato, Y. Miura, M. Yoshii and K. Maeda	392
Intergrowth of barium microcline, hyalophane and albite in the barium-containing alkali feldspar from the Noda-Tamagawa mine, Iwate Prefecture, Japan	S. Nakano	409
Annealing correction to the fission track ages of tektites	S. L. Kou1	417
The crystal structure of the pyroxene-type MnSiO ₃	M. Tokonami, H. Horiuchi, A. Nakano, S. Akimoto and N. Morimoto	424
Mineralogical Abstract from the Scientific Papers Published in Japan (9159-9188)		427
Vol. 9, No. 8, October, 1979		
Composition of an unusual zinnwaldite from southeastern Missouri	G. R. Lowe11 and E. F. Tobey	445
Pyroxene geothermometry applied to a three-pyroxene achondrite from Allan Hills, Antarctica and ordinary chondrites	T. Ishii, H. Takeda and K. Yanai	460
Theoretical and experimental morphology of monoclinic selenium	T. Miyata, M. Kitamura and I. Sunagawa	482
Mineralogical Abstract from the Scientific Papers Published in Japan (9189~9221)		510
Index to Volume 9		525

Vol. 10, No. 1, January 1980

The crystal structure of ganophyllite; monoclinic subcell	T. Kato	1
Cation distribution, Sheet thickness, and O-OH space in trioctahedral chlorites-an X-ray and infrared study	H. Shirozu	14
Coherent intergrowth in subcalcic diopside megacryst	M. Kitamura and K. Aoki	35
Mineralogical Abstract from the scientific Papers Published in Japan (10001-10040)		43

Vol. 10, No. 2, April 1980

Crystal chemical studies on some compounds in the Cu ₂ S-Bi ₂ S ₃ system	K. Tomeoka, M. Ohmasa and R. Sadanaga	57
Electrostatic energies of polymorphs of M ₂ SiO ₄ stoichiometry (M=Ni, Mg, Co, Fe and Mn)	O. Tamada	71
Some aspects of the lattice dynamics of diopside	T. Tomisaka and K. Iishi	84
Mineralogical Abstract from the Scientific Papers Published in Japan (10041-10071)		43

Vol. 10, No. 3, July 1980

The crystal structure of orthoericssonite	S. Matsubara	107
Nagashimalite, Ba ₄ (V ³⁺ , Ti) ₄ [(O, OH) ₂ Cl] Si ₈ B ₂ O ₂₇ , a new mineral from the Mogurazawa mine, Gumma Prefecture, Japan	S. Matsubara and A. Kato	122
The crystal structure of nagashimalite, Ba ₄ (V ³⁺ , Ti) ₄ [(O, OH) ₂ Cl] Si ₈ B ₂ O ₂₇	S. Matsubara	131
Flux growth of bulky hexagonal BaTiO ₃ single crystal	M. Shimazu, M. Tsukioka and A. Nukui	143
Mineralogical Abstract from the Scientific Papers Published in Japan (10072-10116)		148

Vol. 10, No. 4, October 1980

Studies on moonstone (IV). On the angles of pericline-twinned Na phase of cryptoperthite	M. Tatekawa	161
The structural investigation of a kaolin mineral by X-ray powder pattern-fitting	H. Toraya, S. Iwai and F. Marumo	168
Birefringence and composition of grandite garnet from the Shinyama ore deposit of the Kamaishi mine, Iwate Prefecture, Japan	T. Mariko and Y. Nagai	181
<i>Short Communication</i>		
Fission track dating of zeolites of Faeroe Islands	S.L. Koul and L.T. Chadderton.	192
Mineralogical Abstract from the Scientific Papers Published in Japan (10117-10171)		196

Vol. 10 No. 5, January 1981

Preferred orientation correction in powder pattern-fitting	H. Toraya and F. Marumo	211
An application of pattern fitting structure refinement to muscovite KAl ₂ (Si ₃ Al)O ₁₀ (OH) ₂	M. Sato, N. Kodama and S. Matsuda	222
<i>Short Communication</i>		
Beidellite from the Seigoshi mine, Shizuoka Prefecture, Japan	K. Nagasawa, H. Noro and M. Ito	233
Mineralogical Abstract from the Scientific Papers Published in Japan (10172-10253)		241

Vol. 10 No. 6, April 1981

Melonite and volynskite from the Yokozuru mine, Sannotake, North Kyushu, Japan	N. Shimada, M. Miyahisa and F. Hirowatari	269
Drawing of crystal and twin figures	Y. Kanazawa and Y. Endo	279
Symmetrizers for enhanced vector symmetry	K. Tani	296
Mineralogical Abstract from the Scientific Papers Published in Japan (10254-10293)		306

Vol. 10 No. 7, July 1981

Syntheses of manganoan fluorophlogopites K(Mg, Mn) ₃ Si ₃ AlO ₁₀ F ₂ and the germanate equivalents K(Mg, Mn) ₃ Ge ₃ AlO ₁₀ F ₂	H. Toraya, F. Marumo, T. Utsunomiya and Y. Hoshino	321
Kinichilite, a new mineral from the Kawazu mine, Shimoda city, Japan	H. Hori, E. Koyama and K. Nagashima	333
<i>Short Communications</i>		
Sassolite sublimated in a steam well at the Yunotani Geothermal Field, Aso Caldera, Kyushu	S. Taguchi, P. P. Parmentier and T. Yamasaki	338
Note on an X-ray study of zirconium disulfide single crystals	R. S. Mitchell, Y. Fujiki and Y. Ishizawa	344
Mineralogical Abstract from the Scientific Papers Published in Japan (10294-10370)		346

Vol. 10 No. 8, October 1981

Chemical composition and physical properties of dachiardite group zeolites	H. Nishido and R. Otsuka	371
---	--------------------------	-----

Taneyamalite, a new manganese silicate mineral from the Taneyama mine, Kumamoto Prefecture, Japan	Y. Aoki, H. Akasako and K. Ishida	385
Structure variation with octahedral cation substitution in the system of germanate micas, $\text{KMg}_{3-x}\text{Mn}_x\text{Ge}_3\text{AlO}_{10}\text{F}_2$	H. Toraya and F. Marumo	396
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (10371-10422)</i>		408
Vol. 11 No. 1, January 1982		
Two groups of heulandite from Chichijima, the Ogasawara Islands, Japan	H. Nishido and R. Otsuka	1
Suzukiite, $\text{Ba}_2\text{V}_2^{4+}[\text{O}_2 \text{Si}_4\text{O}_{12}]$, a new mineral from the Mogurazawa mine, Gumma Prefecture, Japan	S. Matsubara, A. Kato and S. Yui	15
Track annealing characteristics of biotite mineral	H. S. Saini, O. P. Sharma and K. K. Nagpaul	21
<i>Short Communication</i>		
Wavelength shift of CuL X-ray emission spectra of copper sulfides	Y. Otsuka	32
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (11001-11049)</i>		35
Vol. 11 No. 2, April 1982		
Miscibility gap between jadite and omphacite	K. Yokoyama and T. Sameshima	53
Relationship between lattice constants and strontium and calcium contents of hokutolite	N. Sasaki and H. Minato	62
The existence of high-low inversion point of kalsilite	Y. Andou and A. Kawahara	72
<i>Short Communications</i>		
Ruby from the Sanbagawa metamorphic belt, in the Hodono Valley, Ehime Prefecture, Japan	T. Minakawa and H. Momoi	78
A manganian hedenbergite from the Nakatatsu mine, Fukui Prefecture, Japan and its crystal structure	Y. Ito, T. Matsumoto and A. Yoshiasa	84
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (11050-11091)</i>		93
Vol. 11 No. 3, July 1982		
Synthesis and crystal structures of compounds in the system $\text{Ba}_2\text{TiGe}_2\text{O}_8$ - $\text{Ba}_2\text{TiSi}_2\text{O}_8$	K. Iijima, F. Marumo, M. Kimura and T. Kawamura	107
Growth and dissolution of NaClO_3 crystal in aqueous solution	M. Kitamura, A. Kouchi, S. Hosoya and I. Sunagawa	119
Tobelite, a new ammonium dioctahedral mica	S. Higashi	138
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (11092-11130)</i>		147
Vol. 11 No. 4, October 1982		
Infrared study of some 7Å and 14Å layer silicates by deuteration	H. Shirozu and K. Ishida	161
The ionic compressibilities and radii estimated for some transition metals in olivine structures	M. Miyamoto, H. Takeda, K. Fujino and Y. Takéuchi	172
The structures of anorthite and albite melts	M. Okuno and F. Marumo	180
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (11131-11180)</i>		197
Vol. 11, No. 5, January 1983		
Disorder of metal atoms in the structure of quenched high-temperature cubanite, CuFe_2S_3 , $Z = 4/3$	T. Mizota and K. Koto	213
The crystal structure of a germanate mica $\text{KMg}_{2.5+x}\text{Ge}_{4-2x}\text{Al}_{2x}\text{O}_{10}\text{F}_2$ ($x = 0.14$) and distortion of (Ge,Al) O_4 tetrahedra	H. Toraya and F. Marumo	222
High-temperature single crystal X-ray camera using an infrared thermal-image heating technique	N. Morimoto, S. Kondoh and M. Kitamura	232
Synthesis and the crystal structure of a manganese fluoromica, $\text{K}(\text{Mg}_{2.44}\text{Mn}_{0.24})(\text{Si}_{3.82}\text{Mn}_{0.18})\text{O}_{10}\text{F}_2$	H. Toraya, F. Marumo and M. Hirao	240
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (11181-11217)</i>		248
Vol. 11, No. 6, April 1983		
Katayamalite, a new Ca-Li-Ti silicate mineral from Iwagi Islet, Southwest Japan	N. Murakami, T. Kato and F. Hirowatari	261
Phase relationships in the system $\text{Mg}_3\text{Al}_2\text{Si}_3\text{O}_{12}$ - $\text{Mg}_3\text{Cr}_2\text{Si}_3\text{O}_{12}$ at high pressure and some mineralogical properties of synthetic garnet solid solutions	T. Irifune and Y. Hariya	269
Surface microtopographies of sericite crystals formed in different environmental conditions	R. Kitagawa, S. Takeno and I. Sunagawa	282
<i>Short Communication</i>		
Variation in chemical composition of naturally occurring lead-bearing barite (hokutolite) having crystallized since 1953 at Tamagawa Hot Spring	N. Sasaki and K. Watanuki	297

<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (11218-11259)		303
Vol. 11, No. 7, July 1983		
Syntheses and superstructures of $(\text{Cd,M})_5(\text{PO}_4)_3\text{OH}$ (M=Mn, Fe, Co, Ni, Cu, Hg)	M. Hata and F. Marumo	317
Infrared analysis of the grossular-hydrogrossular series	S. Kobayashi and T. Shoji	331
<i>Short Communication</i>		
Distribution of radioactive waste elements among constituent minerals of a ceramic waste form	T. Murakami	344
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (11260-11300)		352
Vol. 11, No. 8, October 1983		
Effect of the degree of supersaturation upon apparent partition coefficients of lead and strontium ions between BaSO_4 and aqueous solution	N. Sasaki H. Minato	365
The crystal structure of laihunite ($_{0.40}\text{Fe}^{2+}_{0.80}\text{Fe}^{3+}_{0.80}\text{SiO}_4$) – nonstoichiometric olivine type mineral –	O. Tamada, B. Shen and N. Morimoto	382
Thermal stability of clinoptilolite: the crystal structure at 350°C	Y. Kudoh and Y. Takéuchi	392
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (11301-11340)		407
Vol. 12, No. 1, January 1984		
Kinoshitalite and Mn phlogopites: Trial refinements in subgroup symmetry and further refinement in ideal symmetry	S. Guggenheim and T. Kato	1
Kaňkite from the Suzukura Mine Enzan city, Yamanashi Prefecture, Japan	A. Kato, S. Matsubara, K. Nagashima, I. Nakai and M. Shimizu	6
Phase relations in the central portion of the Cu-Fe-Zn-S system between 800 and 500°C	S. Kojima and A. Sugaki	15
Crystal chemical characterization of KAlSi_3O_8 with the hollandite structure	H. Yamada, Y. Matsui and E. Ito	29
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12001-12038)		35
Vol. 12, No. 2, April 1984		
Reactions between natural serpentinite and quartz under hydrothermal conditions (1) – On synthesis of diopside fiber under hydrothermal condition –	Y. Suzuki and Y. Kirino	47
Reactions between natural serpentinite and quartz under hydrothermal conditions (2) – On migration of SiO_2 and calcium through serpentinite under hydrothermal condition –	Y. Suzuki and Y. Kirino	64
Low temperature synthesis of type A zeolite from cristobalite rock	K. Hukuo, Y. Hikichi and T. Miwa	72
<i>Short Communication</i>		
Characterization of coordination polyhedra	Y. Takéuchi and N. Haga	83
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12039-12073)		87
Vol. 12, No. 3, July 1984		
The structure analyses of $\text{NaGaSi}_3\text{O}_8$, $\text{NaAlGe}_3\text{O}_8$ and $\text{NaGaGe}_3\text{O}_8$ glasses by X-ray diffraction and EXAFS measurements	M. Okuno, F. Marumo, T. Sakamaki, S. Hosoya and M. Miyake	101
Infrared analysis of the grossular-hydrogrossular series with a small amount of andradite molecule	S. Kobayashi and T. Shoji	122
<i>Short Communication</i>		
Ionicity affecting the intracrystalline cation distributions in olivines in comparison with those in orthopyroxenes	O. Tamada	137
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12074-12120)		142
Vol. 12, No. 4, October 1984		
The refinement of the structure of synthetic kalsilite	Y. Andou and A. Kawahara	153
The first Korean occurrence of roquesite	N. Imai and S. Choi	162
Gandolfi attachment to a Weissenberg camera	K. Koto, M. Uchikawa, Y. Ito and A. Omura	173
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12121-12180)		179
Vol. 12, No. 5, January 1985		
The structure of a shock-induced anorthite-glass	M. Okuno, F. Marumo and Y. Syono	197
The crystal structure of katayamalite	T. Kato and N. Murakami	206
<i>Short Communication</i>		
Cookeite from animony veins of the Caracota mine, Bolivia	N. Shimada, I. Kusachi and A. Sugaki	218
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12181-12255)		225

Vol. 12, No. 6, April 1985

X-ray section topographs of a cube-shaped diamond	H. Nakazawa, T. Tagai, H. Hirai and Y. Satow	245
Stability of Mn-cummingtonite – an experimental study – Stability of grandite garnet in H ₂ O-CO ₂ mixtures at 600°C under 100 MPa	S. Dasgupta, H. Miura and Y. Hariya T. Shoji, T. Mariko and T. Ooishi	251 260
<i>Short Communication</i>		
A sodian sulphatian fluorapatite from the Kushikino mine, Kagoshima, Prefecture, Japan	Y. Shiga, Y. Urashima and A. Kato	269
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12256-12310)		275

Vol. 12, No. 7, July 1985

Variations in chemical composition and structural properties of antigorites	S. Uehara and H. Shirozu	299
Phase equilibria on the join MgSiO ₃ -MnSiO ₃ at high pressure and temperature	Y. Iwabuchi and Y. Hariya	319
Natronambulite, (Na,Li)(Mn,Ca) ₄ Si ₅ O ₁₄ OH, new mineral from the Tanohata mine, Iwate Prefecture, Japan	S. Matsubara, A. Kato and T. Tiba	332
<i>Short Communication</i>		
Johannsenite from the Koryu mine, Hokkaido, Japan	A. Sugaki, A. Kitakaze and K. Isobe	341
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12311-12365)		349

Vol. 12, No. 8, October 1985

Synthesis and characterization of ferrian braunite	H. Momoi, M. Horikawa and K. Fujino	367
Fe-deficient olivine structure type minerals from Colorado, U.S.A. and Japan	S. Sueno, S. Matsuura and C. Prewitt	376
Kamiokite, Fe ₂ Mo ₃ O ₈ , a new mineral	A. Sasaki, S. Yui and M. Yamaguchi	393
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (12366-12398)		400

Vol. 13, No. 1, January 1986

The crystal structure of vesuvianite from Nakatatsu mine: reinvestigation of the cation site-populations and of the hydroxyl groups	A. Yoshiasa and T. Matsumoto	1
The crystal structure of masutomilite, Mn analogue of zinnwaldite	T. Mizota, T. Kato and K. Harada	13
<i>Short Communication</i>		
Compressibility of the BeO ₄ tetrahedra in the crystal structure of phenacite	T. Kogure and Y. Takéuchi	22
Time-of-flight neutron diffraction study of Li ₃ N at high temperature	I. Kawada, M. Isobe, F. Okamura, H. Watanabe, K. Ohsumi, H. Horiuchi, T. Sato and T. Ishii	28
Fission track dating of volcanic eruptions	H. S. Virk	34
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13001-13043)		39

Vol. 13, No. 2, April 1986

The crystal structure of yeatmanite	T. Kato	53
The first Korean occurrence of ikonolite	N. Imai and J. Chung	65
A study of etched track anisotropy in apatite	S. Singh, D. Singh, A. S. Sandhu and H. S. Virk	75
<i>Short Communication</i>		
Zircon fission track ages from the Cold well Complex, Ontario, Canada	S. Koul, L. Chadderton, R. G. Platt and C. B. Douthitt	86
Chromian and titaninnan pumpellyites in a metagabbro pebble from the Miocene sediments in the Chita Peninsula, central Japan	M. Enami	90
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13044-13084)		98

Vol. 13, No. 3, July 1986

Four-circle diffractometry with the diamond-anvil cell in the fixed ϕ mode	T. Fujii and F. Marumo	111
The crystal structure of hollandite	H. Miura	119
The crystal structure of a new manganese dioxide(Rb _{0.27} MnO ₂) with a giant tunnel	O. Tamada and N. Yamamoto	130
<i>Short Communication</i>		
Legrandite and kottigite from the Orgibira mine, Okayama, Japan	I. Kusachi, C. Henmi and S. Kishi	141
Ardennite in a quartz schist from the Asemi-gawa area the Sanbagawa metamorphic terrain, central Shikoku, Japan	M. Enami	151

Vol. 13, No. 4, October 1986

Etching and annealing studies of fission tracks in chlorite and their applications in dating	A. S. Sandhu, S. Singh and H. S. Virk	177
A thin-section holder for selected area X-ray diffraction	Y. Kanazawa and H. Nakazawa	187
Binocular scanning electron microscope for simultaneous stereography	T. Shoji, K. Okaya, K. Goto and S. Otsuka	195
High pressure compressibilities of pyrite and catterite	T. Fujii, A. Yoshida, K. Tanaka, F. Marumo and Y. Noda	202
Crystal chemistry of the system As-Sb-S(I): Synthesis of wakabayashilite and synthetic study on the solid solutions in the As ₂ S ₃ -Sb ₂ S ₃ system	I. Nakai, H. Yokoi and K. Nagashima	212
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13130-13162)		223

Vol. 13, No. 5, January 1987

Color and photo-luminescence of rare earth element-doped zircon	I. Shinno,	239
Annealing of fission fragment tracks in micaceous minerals	A. S. Sandhu, S. Singh and H. S. Virk	254
The crystal structure of high temperature form of kalsilite(KAlSiO ₄) at 950°C	A. Kawahara, Y. Andou, F. Marumo and M. Okuno	260
Crystal structure and cation distribution of cleavable olivines	N. Aikawa and M. Tokonami	271
Na/K ratios and fluorine contents of micas from the skarn-type tungsten deposits of the Fujigatani, Kiwada, and Kuga mines, Southwest Japan	Y. Shibue	280
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13163-13193)		295

Vol. 13, No. 6, April 1987

Anisotropic track annealing in apatite	A. S. Sandhu, S. Singh and H. S. Virk	307
A jadeite rock from Oosa-cho, Okayama Prefecture, Southwestern Japan	S. Kobayashi, H. Miyake and T. Shoji	314
Apparent re-entrant corner effect due to impurities in ribbon-like morphology of hematite twins	I. Sunagawa and T.-J. Lu	328
A hydrothermal experiment for retrograde change of gehlenite	C. Henmi	347
Stronalsite, SrNa ₂ Al ₄ Si ₄ O ₁₆ , a new mineral from Rendai, Kochi City, Japan	H. Hori, I. Nakai, K. Nagashima, S. Matsubara and A. Kato	368
Dependence of exsolution textures in synthetic augite on its composition and cooling rate	K. Fukuda, T. Yamanaka and M. Tokonami	376
<i>Short Communication</i>		
Further refinement of the goyazite structure	T. Kato	390
<i>Erratum</i>		
The crystal structure of hollandite	M. Miura	397
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13194-13221)		399

Vol. 13, No. 7, July 1987

Origin of undulated growth steps on hematite crystals from Sasazawa, Japan	T. -J. Lu and I. Sunagawa	409
Hollandite and cryptomelane in the manganese oxide deposits of the Sausar Group, India	H. Miura, H. Banerjee, Y. Hariya, S. Dasgupta and S. Roy	424
Structures of hydrated glasses in the albite-anorthite-quartz system	M. Okuno, F. Marumo, H. Morikawa S. Nakashima and J. Iiyama	434
Formation of bobierrite (magnesium phosphate) crystal aggregates by <i>Acinetobacter</i> sp.	M. A. Rivadeneyra, A. Ramos-cormenzana and A. Garcia-cervigon	443
Structural behaviour of NiS ₂ up to 54 kbar	T. Fujii, K. Tanaka, F. Marumo and Y. Noda	448
The crystal structure of stishovite under pressure up to 6 Gpa	M. Sugiyama, S. Endo and K. Koto	455
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (13222-13253)		467

Vol. 13, No. 8, October 1987

Instrumentation for <i>in situ</i> observation of growth and dissolution processes of crystals in high temperature solutions at 1600°C	T. Abe, K. Tsukamoto and I. Sunagawa	479
Infrared spectra and cell dimensions of hydrothermally synthesized grandite-hydrograndite series	S. Kobayashi and T. Shoji	490
<i>Short Communication</i>		
Unit cell parameters and densities of non-doped and 2 mol% Y ₂ O ₃ doped orthorhombic (high pressure form) ZrO ₂	H. Toraya, O. Ohtaka and S. Kume	500
<i>Contribution of I. M. A. Commission on New Minerals and Mineal Names</i>		
Procedures involving the I. M. A. Commission on New Minerals	E. H. Nickel and J. A. Mandarino	505

and Mineral Names, and guidelines on mineral nomenclature

Note

Formal definitions of type mineral specimens P. J. Dunn and J. A. Mandarino 533
Mineralogical Abstract from the Scientific Papers Published in Japan (13254-13299) 535

Vol. 14, No. 1, January 1988

Anisotropic etching and annealing of fission tracks in quartz A. S. Sandhu, S. Singh and H. S. Virk 1
Molecular orbital study (CNDO/2) of cation charges in O. Tamada and K. Tanaka 12
Forsterite (α -Mg₂SiO₄)

Short Communication

High-resolution electron microscopy of a manganese dioxide O. Tamada, K. Fujino, N. Yamamoto 20
Rb_{0.27}MnO₂ having a giant tunnel and Y. Oka
Mineralogical Abstract from the Scientific Papers Published in Japan (14001-14034) 26

Vol. 14, No. 2, April 1988

Cell dimensions, minor element composition and high-low inversion M. Nakagawa 37
of quartz in the Amakusa pottery stone
Fission track annealing behaviour of minerals of S. L. Koul, A. R. Waild, V. J. Wall and 45
the East Alligator River Uranium Field, N.T., Australia A. K. Tickoo
Reexamination of high-temperature optics of natural sodic plagioclases H. Kano, 56
Errata
Procedures involving the IMA. Commission on New Minerals and E. H. Nickel and J. A. Mandarino 69
Mineral Names, and guidelines on mineral nomenclature
Mineralogical Abstract from the Scientific Papers Published in Japan (14035-14068) 71

Vol. 14, No. 3, July 1988

Stability of RSiO₃ phases in the manganese rich portion of the system H. Banerjee, H. Miura and Y. Hariya 83
MnO-MgO-FeO-SiO₂-CO₂
Hemusite and paraganajuatite from the Kawazu mine, M. Shimizu, A. Kato and S. Matsubara 92
Shizuoka Prefecture, Japan
Note
Protocols for scientists of the deposition of P. Dunn 101
investigated mineral specimens
Mineralogical Abstract from the Scientific Papers Published in Japan (14069-14104) 103

Vol. 14, No. 4, October 1988

High cadmium contents of sphalerites from major tungsten deposits Y. Shibue 115
in Japan
Molecular orbital study (CNDO/2) of atomic charges on O. Tamada and K. Tanaka 126
Mg ions in enstatite (MgSiO₃)
Electron-density distribution in ilmenite-type crystals III. M. Ohgaki, K. Tanaka, F. Marumo 133
Nickel(II) titanium(IV) trioxide, NiTiO₃ and H. Takei
Short Communication
Refractive indices and birefringence of corrensite and the related minerals T. Yoshimura and S. Okubo 145
Mineralogical Abstract from the Scientific Papers Published in Japan (14105-14173) 150

Vol. 14, No. 5, January 1989

The analysis of dislocation pipe radius for diffusion H. Yurimoto and H. Nagasawa 171
Electron-density distribution in ilmenite-type crystals, IV. K. Ohgaki, M. Ohgaki, K. Tanaka, 179
Iron(II) titanium(IV) trioxide, FeTiO₃ F. Marumo and H. Takei
Short Communication
Mössbauer spectra of diopside containing 4- and 6-coordinated ferric I. Shinno and Y. Maeda 191
irons at 78K and 4.2K
Nomenclature Report
Nomenclature of pyroxenes N. Morimoto, Chairman, 198
Subcommittee on Pyroxene, IMA
Mineralogical Abstract from the Scientific Papers Published in Japan (14174-14225) 222

Vol. 14, No. 6, April 1989

Artificial luminescence center of zircon irradiated with thermal neutrons I. Shinno and S. Sugihara 237
A new heating stage for transmission electron microscopy up to 1300°C N. Morimoto, N. Shimobayashi, 246
A. Tsuchiyama and M. Kitamura
Infrared study of manganoan alkali-calcic amphiboles K. Ishida 255
Mineralogical Abstract from the Scientific Papers Published in Japan (14226-14258) 266


Vol. 14, No. 7, July 1989

Afwillite and jennite from Fuka, Okayama Prefecture, Japan	I. Kusachi, C. Henmi and K. Henmi	279
Ionic conductivity of Ag_3AsS_3 and Ag_3AsSe_3	A. Yoshiasa	293
<i>Short Communication</i>		
Coloradoite and the associated minerals from the Date mine, southwestern Hokkaido, Japan	H. Honma, M. Nakata and K. Sakurai	299
Structural study of the matamict states by X-ray diffraction: In the case of naegite	K. Sugiyama and Y. Waseda	303
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (14259-14299)</i>		310
Vol. 14, No. 8, October 1989		
Fe/Ni distribution in pentlandite at high temperature and the estimated pressure-temperature dependence of the distribution	K. Tsukimura	323
Crystal structures and the cation distributions of Mg and Fe of natural olivines	T. Motoyama and T. Matsumoto	338
Rehydration properties of Na-rectorite from Makurazaki, Kagoshima Prefecture, Japan	M. Kawano and K. Tomita	351
Anharmonic thermal vibration in a crystal of lithium(I) tantalum(V) trioxide, LiTaO_3	M. Ohgaki, K. Tanaka and F. Marumo	373
<i>Short Communication</i>		
A high-pressure single-crystal X-ray study of ZnSiO_3 pyroxene: possible phase transitions at 19 kbar and 51 kbar	Y. Kudoh, H. Takeda and H. Ohashi	383
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (14300-14336)</i>		388
Vol. 15, No. 1, January 1990		
The Extinction Angles on the Deformed Sanidine Single Crystals	M. Okuno	1
Neutron diffraction study of babingtonite at 80K	T. Tagai, W. Joswig and H. Fuess	8
Mineralogical Properties of Interstratified Ammonium-bearing Mica/Smectites from Aira, Kagoshima Prefecture, Japan	M. Kawano and K. Tomita	19
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15001-15035)</i>		32
Vol. 15, No. 2, April 1990		
Single Crystal Growth and Structure Determination of $\text{Rb}_{1.5}\text{Mn}_8\text{O}_{16}$ Hollandite	N. Yamamoto, Y. Oka and O. Tamada	41
Tetragonal-Monoclinic Transformation of Cryptomelane at High Temperature	H. Kudo, H. Miura and Y. Hariya	50
The Structures of $(\text{Na}_{0.5}\text{Ca}_{0.5})\text{Ga}_{1.5}\text{Ge}_{2.5}\text{O}_8$ and $\text{CaGa}_2\text{Ge}_2\text{O}_8$ Glasses	M. Okuno, M. Ito and H. Iwasaki	64
<i>Short Communication</i>		
Five Manganian Zinnwaldites from Japanese Pegmatites	K. Harada, S. Kanisawa and K. Tomita	73
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15036-15076)</i>		81
Vol. 15, No. 3, July 1990		
Identification of infrared OH librational bands of talc-eillemseite solid solutions and $\text{Al}^{(\text{IV})}$ -free amphiboles through deuteration	K. Ishida	93
Ferromanganese oxide ores of western Koria Valley, Orissa, India: An infrared spectroscopy study	B. K. Mohapatra, A. K. Paul and K. Sahoo	105
Morphology of synthetic zircon crystals doped with various elements	M. Hayashi and I. Shinno	119
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15077-15109)</i>		129
Vol. 15, No. 4, December 1990		
The crystal structure refinements of the strontium and barium orthophosphates	K. Sugiyama and M. Tokonami	141
Infrared spectra of alkali amphiboles of the glaucophane-riebeckite series and their relation to chemical composition	K. Ishida	147
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15110-15149)</i>		162
Vol. 15, No. 5, January 1991		
Fluid phase petrology of Antarctic charnockites from the Lützow-Holm Bay: Implication for carbonic metamorphism	M. Santosh and M. Yoshida	175
Conversion from fluor- to hydroxyl-phlogopite in KOH solution	T. Fujita, K. Sugimori, T. Kosugi and H. Nakazawa	190
Argon isotope analysis by a newly developed mass spectrometric system for K-Ar dating	T. Itaya, K. Nagao, K. Inoue, Y. Honjou, T. Okada and A. Ogata	203
<i>Short Communication</i>		
Toyohaite, $\text{Ag}_7\text{FeSn}_3\text{S}_8$, a new mineral	J. Yajima, E. Ohta and Y. Kanazawa	222
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15150-15196)</i>		233

Vol. 15, No. 6, April 1991		
3T sericite (dioctahedral mica) from the Porgera mine, Papua New Guinea	S. Higashi and S. Taguchi	249
Tinticite from the Suwa mine, Chino City, Nagano Prefecture, Japan	K. Sakurai, S. Matsubara and A. Kato	261
Synthesis of monazite(RPO ₄ , R=La, Ce, Nd, or Sm) by solid state reaction	Y. Hikichi	268
Phase relation among serpentine, brucite and forsterite from 200 to 500 atm water pressure	T. Ueno, Y. Furuta, T. Koyama and T. Imada	276
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15197-15227)</i>		282
Vol. 15, No. 7, July 1991		
Electrostatic energies of mantle minerals in the MgO-SiO ₂ system, and their crystal-chemical properties and cation distributions	O. Tamada	291
Hydrothermal synthesis of beidellite from aluminosilicate glass by varying water/solid ratio	H. Yamada, K. Yoshioka and H. Nakazawa	300
Degassing of argon from young geological materials by low temperature stepwise heating	T. Itaya, H. Ito and K. Nagao	309
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15228-15271)</i>		321
Vol. 15, No. 8, October 1991		
Effects of dissolved hydrogen on durability of silica glass under excimer laser irradiation	S. Yamagata	333
Sillenite from Fuka, Okayama Prefecture, Japan	I. Kusachi and C. Henmi	343
Mechanical conversion of rhabdophane type RPO ₄ ·nH ₂ O (R=La, Ce, Pr, Nd or Sm, n-1/2) to the monazite type analogues	Y. Hikichi, C.-F. Yu, M. Miyamoto and S. Okada	349
Solid solutions in mineral nomenclature	E. Nickel	356
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (15272-15309)</i>		362
Vol. 16, No. 1, January 1992		
Effects of OH-group and Cl on the distribution of refractive index in silica glass	S. Yamagata	1
Celestine from the Asaka gypsum mine, Koriyama City, Fukushima Prefecture, Japan	S. Matsubara, A. Kato and E. Hashimoto	16
Local structures around Fe and Cr atoms in glasses of the systems CaMgSi ₂ O ₆ -CaFeAlSiO ₆ and CaMgSi ₂ O ₆ -CaCrAlSiO ₆ determined by X-ray diffraction method	Y. Tabira and F. Marumo	21
Phase equilibria in the system MnFe ₂ O ₄ -Mn ₃ O ₄	S. Osawa, T. Kikuchi and Y. Hariya	28
Ba ₄ In ₆ O ₁₃ : a compound with distorted square pyramidal InO ₅ coordination polyhedra	A. Yoshiasa, S. Takeno and K. Iishi	40
<i>Short Communication</i>		
The chemical composition of plumbian barite (hokutolite) precipitated from 1981 to 1990 at Tamagawa Hot Springs, Akita Prefecture, Japan	N. Sasaki, A. Yamashita and K. Watanuki	49
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (16001-16057)</i>		60
Vol. 16, No. 2, April 1992		
Molecular orbital study (CNDO/2) of atomic charges in modified spinel (β-Mg ₂ SiO ₄)	O. Tamada	79
Manganoan vivianite in the bottom sediments of Lake Biwa, Japan	S. Nakano	96
A cathodoluminescence microscope and its application to the study of growth zoning of minerals	M. Kitamura, M. Fudaki, K. Shwin and N. Shimobayashi	108
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (16058-16092)</i>		117
Vol. 16, No. 3, July 1992		
Development of a high resolution X-ray diffraction camera and its application to detecting an exsolution of a plagioclase	T. Tagai	129
High temperature cyclic loading experiments on synthetic forsterite single crystals –Mechanical data–	T. Nagai	139
Structure refinement of lithium (I) niobium (V) trioxide, LiNbO ₃ , with anharmonic thermal vibration model	M. Ohgaki, K. Tanaka and F. Marumo	150
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (16093-16132)</i>		161
Vol. 16, No. 4, October 1992		
Ferritchromit and its opto-chemical behaviour	S. Mitra, T. Pal, P. K. Maity and H.-S. Moon	173
New method of specimen preparation for high temperature X-ray diffraction, and its applications to some semiconductor wafers	T. Kawamura	187

Growth mechanisms of plagioclase in a basaltic melt <i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (16133-16172)	K. Watanabe and M. Kitamura	201 215
Vol. 16, No. 5, January 1993		
Cobalt atoms at M(2) site in <i>C2/c</i> clinopyroxenes of the system CaMgSi ₂ O ₆ (Di) – CaCoSi ₂ O ₆ (CaCoPx)	Y. Tabira, N. Ishizawa and F. Marumo	225
Raman spectra of various diamonds	M. Miyamoto, T. Takase and Y. Mitsuda	246
Analysis of trace ruthenium in meteoritic FeNi minerals by microbeam XRF using synchrotron radiation	J. Saito, T. Nakamura, A. Yamaguchi, K. Saiki and H. Takeda	258
A calderitic garnet paragenesis in granitic gneisses in the Su-Lu ultra high-pressure terrane, eastern China	M. Enami, Z.-G. Zhao, Q.-C. Wang	268
Calculated powder X-ray patterns of phase B, anhydrous B and superhydrous B: re-assessment of previous studies	M. Kanzaki	278
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (16173-16210)		286
Vol. 16, No. 6, April 1993		
Symmetry of actionolite in low grade metamorphic rock and its implication for the problem of the compositional gap between actionolite and hornblende	H. Shinjoe, K. Kakino, K. Tomita and S. Banno	297
Chromian sodic pyroxene, phengite and allanite from the Sanbagawa blueschists in the eastern Kii Peninsula, central Japan	Y. Banno	306
An application of X-ray diffraction methods to thin curved specimen with semi-spherical curvature	T. Kawamura and T. Matsumoto	318
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (16211-16246)		332
Vol. 16, No. 7, July 1993		
Local structures around Mn, Co and Ni atoms in glasses of the systems CaMgSi ₂ O ₆ -CaMnSi ₂ O ₆ , CaMgSi ₂ O ₆ -CaCoSi ₂ O ₆ and CaMgSi ₂ O ₆ - CaNiSi ₂ O ₆ determined by the XAFS spectroscopy	Y. Tabira, N. Ishizawa and F. Marumo	345
X-ray and electron diffraction study of sartorite –A periodic antiphase boundary structure and polymorphism–	T. Ozawa and Y. Takéuchi	358
Syntheses and X-ray studies of kimzeyite, Ca ₃ Zr ₂ (Al,Fe) ₂ SiO ₁₂	J. Yamakawa, C. Henmi and A. Kawahara	371
Absorption and photo-luminescence spectra of Ti ³⁺ and Fe ³⁺ in jadeites	I. Shinno and T. Oba	378
Standardization of polytype suffixes	E. H. Nickel	387
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (16247-16281)		389
Vol. 16, No. 8, 1993		
Raman spectroscopic study for MgSiO ₃ -perovskite and majorite solid solutions MgSiO ₃ -Mg ₃ Al ₂ Si ₃ O ₁₂	H. Morishima, E. Ohtani and H. Arashi	399
The structure analyses of pyrope (Mg ₃ Al ₂ Si ₃ O ₁₂) and grossular (Ca ₃ Al ₂ Si ₃ O ₁₂) glasses by X-ray diffraction method	M. Okuno and F. Marumo	407
Phase transition of orthoenstatite to high-clinoenstatite: in situ TEM study at high temperatures	N. Shimobayashi and M. Kitamura	416
Particle size distribution of hydroxyapatite prepared at room temperature, 50°C and 80°C	S. Kano, A. Yamazaki, R. Otsuka, M. Akao and H. Aoki	427
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (16282-16298)		440
Index to Volume 16		445
Vol. 17, No. 1, January 1994		
Structural investigation of high- and low-symmetry vesuvianite Crednerite from the Gozaisho Mine, Iwaki City, Fukushima Prefecture, Japan	M. Ohkawa, A. Yoshiasa and S. Takeno S. Matsubara, A. Kato, E. Hashimoto and K. Sekiuchi	1 21
Structural change of kaolinite and pyrophyllite induced by dry grinding	K. Sugiyama, J. M. Filio, F. Saito and Y. Waseda	28
Synthesis and properties of the system Al ₂ (SO ₄) ₃ -Fe ₂ (SO ₄) ₃	H. Miura, H. Suzaki and T. Kikuchi	42
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (17001-17017)		46
Vol. 17, No. 2, April 1994		
Texture formation of agate in geode	T.-J. Lu and I. Sunagawa	53
Ribbeite from the Kaso mine, Kanuma City, Tochigi Prefecture, Japan	A. Kato and S. Matsubara	77
Reaction products in the hydrothermal treatments on a single crystal of plagioclase	M. Suzuki, T. Tagai, H. Takeda and K. Tsukimura	83
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (17018-17055)		91

Vol. 17, No. 3, July 1994		
Study on dry grinding of gibbsite (hydrargillite)	K. Sugiyama, A. H. Shinohara, F. Saito and Y. Waseda	101
Chemical composition of bakerite from Fuka, Okayama Prefecture, Japan	I. Kusachi, C. Henmi and S. Kobayashi	111
The orientation determination of OH ⁻ dipoles in staurolite by polarized infrared spectroscopy	N. Aikawa and K. Shinoda	118
Crystal structure of synthetic zinc monophosphate, Zn ₂ (OH)PO ₄ : A polymorph of trauoctahedrite	A. Kawahara, H. Moritani and J. Yamakawa	132
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17056-17094)</i>		140
Vol. 17, No. 4, October 1995		
Pressure-induced amorphization of Mg ₂ GeO ₄ -olivine	T. Nagai, K. Yano, M. Dejima and T. Yamanaka	151
Observation of mono-molecular growth layers on crystals of magmatic origin; Ilmenite from Aso Volcano	T. Abe	158
Hydration enthalpy for synthetic and cation exchanged A-type zeolites with special reference to zeolite heat pump media	T. Kasai, H. Maeda, K. Matsui, D. F. Kurnia, N. Nakayama and T. Mizota	170
Oriented growth of chlorite and zoisite in plagioclase as alteration products –examples of graphoepitaxy–	M. Suzuki, T. Tagai, T. Hoshi and H. Takeda	181
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17095-17137)</i>		189
Vol. 17, No. 5, March 1995		
The determination of site occupancies in two natural olivines by ALCHEMI method using only Si atoms as the reference atoms	T. Motoyama, M. Okuno and T. Matsumoto	201
Manganian grossular-piemontite association in a low grade metamorphic manganese ore from the Dainichi mine, Hadano City, Kanagawa Prefecture, Japan	D. Hirata, H. Yamashita, I. Imanaga, H. Takahashi and A. Kato	211
Local heating method by Nd:YAG laser beam for the measurements of the optical properties of Si wafers	T. Kawamura and S. Kojima	219
The structural studies of CaMgSiO ₆ , CaCoSi ₂ O ₆ and CaNiSi ₂ O ₆ glasses	T. Taniguchi, M. Okuno, T. Matsumoto	231
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17138-17175)</i>		245
Vol. 17, No. 6, April 1995		
Hexagonal CaAl ₂ Si ₂ O ₈ in an high temperature solution; metastable crystallization and transformation to anorthite	T. Abe and I. Sunagawa	257
Study of the minerals on the PbS-Sb ₂ S ₃ join Part 1: Phase relation above 400°C	A. Kitakaze, A. Sugaki and H. Shima	282
Calculation models of structures and physical properties of CaSiO ₃ , CaMgSi ₂ O ₆ , and Ca ₂ BaSi ₃ O ₉ crystals	T. Taniguchi, M. Okuno and T. Matsumoto	290
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17176-17215)</i>		301
Vol. 17, No. 7, July 1995		
Immiscibility of the grossular-spessartine series under a water pressure of 100 Mpa	T. Shoji, H. Tsukuda, T. Mariko and H. Kaneda	313
Hydrothermal solution equipment capable of easy extraction of liquid up to 200°C	K. Tsukimura	322
Frolovite from Fuka, Okayama Prefecture, Japan	I. Kusachi, C. Henmi, S. Kobayashi	330
Nb-Ta minerals in a lithium pegmatite from Myokenzan, Ibaraki Prefecture, Japan	S. Matsubara, A. Kato and F. Matsuyama	338
The definition of a mineral	E. Nickel	346
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17216-17287)</i>		350
Vol. 17, No. 8, October 1995		
A mössbauer study of pentacoordinated ferric iron in orthoericssonite <i>Short Communication</i>	U. Hälenium	363
Analytic calculation of cation distribution equilibria in the cubic phase of jacobsite-hausmannite system	T. Kikuchi and N. Kayukawa	372
<i>Abstract of the Annual Meeting of the Mineralogical Society of Japan 1995</i>		378
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (17288-17329)</i>		393
Index to Volume 17		405
Vol. 18, No. 1, January 1996		
Ab initio calculation of ²⁹ Si NMR chemical shifts for the clusters of	M. Kanzaki	1



Letters

Discovery of a NaPx-En inclusion in diamond:
possible transition zone origin W. Wang and S. Sueno 9

Short Communication

Synthesis of gerstleyite M. Mamiya and I. Nakai 17

Strontian hollandite in a quartz schist from the Saruta-gawa area in
the Sanbagawa metamorphic terrain, central Shikoku, Japan Y. Banno 23

Mineralogical Abstract from the Scientific Papers Published in Japan (18001-18042) 31

Vol. 18, No. 2, April 1996

Dissolution Process and rate in feldspar:
Effects of crystallographic orientation M. Suzuki, T. Tagai, T. Hoshi and K. Tsukimura 43

Zirconium minerals and zirconian garnet from Fuka,
Okayama Prefecture, Japan C. Henmi, I. Kusachi and K. Henmi 54

Johnbaumite from Fuka, Okayama Prefecture, Japan I. Kusachi, C. Henmi and S. Kobayashi 60

Mineralogical Abstract from the Scientific Papers Published in Japan (18043-18083) 67

Vol. 18, No. 3, July 1996

Thermal changes in synthetic deuteroxyapatite M. Kikuchi, A. Yamazaki, M. Akao and H. Aoki 79

Synthesis and thermal reactions of rhabdophane-(Y) Y. Hikichi, T. Ota, T. Hattori and T. Imaeda 87

A transmission electron microscope observation of 138Å period
in Pb-As-S sulfosalts T. Ozawa and O. Tachikawa 97

Abstract of the Annual Meeting of the Mineralogical Society of Japan 1996 103

Mineralogical Abstract from the Scientific Papers Published in Japan (18084-18127) 119

Vol. 18, No. 4, October 1996

Direct identification of biotite/vermiculite layers in hydrobiotite
using high-resolution TEM T. Kogure and T. Murakami 131

Thermodynamic properties of K₂Si₄O₉ and Na₂Si₄O₉ glasses quenched
from melts at high pressures and high temperatures N. Ishizaka, M. Akaogi and T. Suzuki 139

Ferrierite from Monbetsu, Hokkaido, Japan S. Matsubara, T. Tiba, A. Kato and M. Shimizu 147

Romeite from the Gozaisho mine, Iwaki, Japan S. Matsubara, A. Kato, M. Shimizu, K. Sekiuchi and Y. Suzuki 155

Characterization of K-Al-, K-Fe- and K-Mg-priderite grown from melts H. Ohsato, S. Okuda, Y. Moriyama and I. Maki 161

Index to Volume 18 169

Vol. 19, No. 1, January 1997

Crystallization of Al₂O₃-SiO₂ gels in water at 473K K. Tsukimura 1

Activation energies of H₂O and H₂ diffusions in silica glass:
Semi-empirical molecular orbital study M. Kanzaki 13

EXAFS study on the short-range correlation of vibrational motion in
the Y₃Fe_{5-x}Ga_xO₁₂ garnet solid solution A. Yoshiasa, A. Nakatsuka and M. Ohkawa 21

Mineralogical Abstract from the Scientific Papers Published in Japan (19001-19038) 33

Vol. 19, No. 2, April 1997

Preface

Finding of Past Life in a Martian Meteorite? A. Tsuchiyama 45

Mineralogical consideration of possible microfossils in
martian meteorite ALH84001 T. Mikouchi, A. Tsuchiya, J. Akai, S. Nakashima, K. Tazaki, T. Itaya and K. Yanai 47

General view of twelve martian meteorites K. Yanai 65

Calcium distribution in alkali feldspar of a quartz syenite
from Cape Ashizuri, Shikoku, southwest Japan S. Nakano, E. Hosokawa, J. Akai 75

Mineralogical Abstract from the Scientific Papers Published in Japan (19039-19076) 87

Vol. 19, No. 3, July 1997

Next nearest neighbor effects in triphylite and related phosphate minerals Z. Li and I. Shinno 99

Sibirskite from Fuka, Okayama Prefecture, Japan I. Kusachi, C. Henmi and S. Kobayashi 109

Borcarite from Fuka, Okayama Prefecture, Japan I. Kusachi, Y. Takechi, C. Henmi and S. Kobayashi 115

Thermal, mechanical and chemical properties of sintered monazite-(La), -(Ce), -(Nd) or -(Sm)	Y. Hikichi, T. Ota and T. Hattori	123
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (19077-19119)</i>		131
Vol. 19, No. 4, October 1997		
Kinetic studies of the α -quartz-coesite transformation of SiO ₂	T. Nagai, O. Ohtaka and T. Yamanaka	147
On the structure of cleaved surfaces in biotite mica	T. Kogure,	155
Site confirmation of Fe ₃₊ in a synthetic ferrian aluminian diopside with an application of X-ray anomalous dispersion	M. Okui, F. Marumo, H. Sawada, M. Ueki and N. Ishizawa	165
Composite twins of 1M mica: derivation and identification	M. Nespolo, H. Takeda, G. Ferraris and T. Kogure	173
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (19120-19154)</i>		187
Index to Volume 19		199
Vol. 20, No. 1, January 1998		
Huangite from Okumanza, Gunma Prefecture, Japan	S. Matsubara, F. Matsuyama, K. Kiyota and A. Kato	1
Evaluation of diffusion coefficients of Fe-Mg and Ca in olivine	M. Miyamoto and T. Mikouchi,	9
<i>Abstract of the Annual Meeting of the Mineralogical Society of Japan 1997</i>		19
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (2001-2033)</i>		37
Vol. 20, No. 2, April 1998		
On variety of the Ca coordination in the incommensurate structure of synthetic iron-bearing akermanite, Ca ₂ (Mg _{0.55} Fe _{0.45})Si ₂ O ₇	K. Kusaka, M. Ohmasa, K. Hagiya, K. Iishi and N. Haga	47
Condensation experiments using a forsterite evaporation source in H ₂ at low pressures	A. Tsuchiyama	59
Ionic conduction and thermal nature of synthetic Cu ₃ BiS ₃	T. Mizota, A. Inoue, T. Yamada, A. Nakatsuka and N. Nakayama	81
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (2034-2068)</i>		91
Vol. 20, No. 3, July 1998		
A rietveld analysis of the crystal structure of ammonioleucite	M. Yamada, R. Miyawaki, I. Nakai, F. Izumi and K. Nagashima	105
Evaporation rates of forsterite in the system Mg ₂ SiO ₄ -H ₂	A. Tsuchiyama, T. Takahashi and S. Tachibana	113
Microstructure of nemalite, fibrous iron-bearing brucite	T. Kogure and M. Bunno	127
Thermodynamic formulations of (Ca,Fe,Mg) ₂ SiO ₄ olivine	T. Kawasaki	135
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (2069-2102)</i>		151
Vol. 20, No. 4, October 1998		
Stability of dense hydrous magnesium silicate phase G in the transition zone and the lower mantle	E. Ohtani, Y. Kudoh, H. Naito and H. Arashi	163
Computational modelling on the stability of new high-pressure phases of MgAl ₂ O ₄ and Al ₂ SiO ₅	C. Takata and M. Matsui	171
Chemistry and crystallography of Bi-rich izoklakeite from the Otome mine, Yamanashi Prefecture, Japan and discussion of the izoklakeite-giessenite series	T. Ozawa, A. Saitow and H. Hori	179
<i>Letters</i>		
Interatomic potential parameters for molecular dynamics simulation of crystals in the system K ₂ O-Na ₂ O-CaO-MgO-Al ₂ O ₃ -SiO ₂	A. Miyake	189
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (20103-20146)</i>		195
Index to Volume 20		211
Vol. 21, No. 1, January 1999		
The effect of partial pressure of carbon dioxide on anorthite dissolution	S. Utsunomiya, T. Murakami, H. Kadohara and K. Tsukimura	1
Hexahydroborite from Fuka, Okayama Prefecture, Japan	I. Kusachi, Y. Takechi, S. Kobayashi, J. Yamakawa, Y. Nakamuta, K. Lee and S. Motomizu	9
Characterization of artificially shocked forsterites: (1) Diffraction profile analysis by Gandorfi camera	A. Uchizini, I. Shinno, Y. Nakamuta, T. Nakamura and T. Sekine	15
<i>Abstract of the Annual Meeting of the Mineralogical Society of Japan 1998</i>		25
<i>Mineralogical Abstract from the Scientific Papers Published in Japan (21001-21037)</i>		39
Vol. 21, No. 2, April 1999		
Analysis of family reflections of OD mica polytypes,	M. Nespolo	53

and its application to twin identification		
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (21038-21077)		87
Vol. 21, No. 3, July 1999		
Inhomogeneous mica polytypes: 8-layer polytype of the $2M_1$ structural series determined by the Periodic Intensity Distribution (PID) analysis of the X-ray diffraction pattern	M. Nespolo and H. Takeda	103
Characterization of artificially shocked forsterites:	I. Shinno, Y. Nakamuta, T. Nakamura	119
(2) Profile analysis of photo-luminescence spectra	and T. Sekine	
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (21078-21126)		131
Vol. 21, No. 4, 1999		
Trolleite-augelite pseudomorphs supposed after berlinite from the Hinomaru-Nako mine, Yamaguchi Prefecture, western Japan	S. Matsubara, A. Kato, M. Takada and R. Miyawaki	145
The structural study on Fe-pumpellyite: An application of Weissenberg technique combined with a synchrotron radiation and an imaging plate	M. Ohkawa, S. Takeno, A. Yoshiasa and K. Ohsumi	151
Appearance of infrared(MgMgFe ³⁺)-OH stretching band in heat-treated holmquistites, sodic-calcic and sodic amphiboles	K. Ishida	157
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (21127-21176)		167
Index to Volume 21		181
Vol. 22, No. 1, January 2000		
Hydration enthalpies of inorganic porous materials with different structures	M. Suzuki, F. Ohashi, K. Inukai, M. Maeda, S. Tomura and T. Mizota	1
Characterization of artificially shocked forsterites:	I. Shinno, Y. Nakamuta, T. Nakamura,	11
(3) Profile analysis of Raman spectra	and T. Sekine	
<i>Abstract of the Annual Meeting of the Mineralogical Society of Japan 1999</i>		21
<i>Mineralogical Abstract from the Scientific Papers Published in Japan</i> (22001-22048)		35